



PSITTACUS ELEGANS: Gould.

PSEPHOTUS PULCHERRIMUS, *Gould.*

Beautiful Parrakeet.

Platycercus pulcherrimus, Gould in Ann. and Mag. of Nat. Hist., vol. xv. p. 114.

THE graceful form of this new Parrakeet, combined with the extreme brilliancy of its plumage, render it one of the most lovely of the *Psittacidae* yet discovered; and in whatever light we regard it, whether as a beautiful ornament to our cabinets, or a desirable addition to our aviaries, it is still an object of no ordinary interest.

I regret to say that little is at present known respecting it, further than that it is one of the novelties that has rewarded Mr. Gilbert's researches in New South Wales; the upland grassy plains of the east coast of Australia being the locality in which it was first discovered, and which is in fact the only part of the country wherein it has as yet been found. The specimens procured were shot on the Darling Downs, where it was observed in small families feeding on the seeds of grasses and other plants growing on the plains; the stomachs of those examined were fully distended with grass seeds exclusively.

The sexes, like the generality of the *Psittacidae*, are much alike; but the female, although similarly marked, is much less brilliant and somewhat smaller than her mate.

Band across the forehead half an inch in breadth, scarlet, fading around the eyes, lores and cheeks into pale lemon-yellow, which again gradually blends with the green of the under surface; crown of the head and nape blackish brown; sides of the neck to the shoulders verdigris-green with yellowish reflexions; back greyish brown; rump and upper tail-coverts verditer-blue, the longer coverts with a band of black at their extreme tip; primaries and secondaries black edged with bluish green; shoulders with a spot of rich vermilion; under wing-coverts and edges of the pinions verditer-blue; two middle tail-feathers olive-brown at the base, gradually passing into greenish blue at the tip with olive reflexions; the three outer feathers on each side with a narrow zigzag band of black at about half their length from the base, then greenish blue to the tip, the inner webs fading into white near the extremity; throat and chest yellowish emerald-green, each feather tipped with verditer-blue; middle of the breast and the sides verditer-blue; abdomen and under tail-coverts scarlet; irides dark brown; bill horn-colour, becoming blackish grey at the base; legs and feet yellowish brown.

The figures are of the natural size.